INSTALLATION INSTRUCTION

Running Boards Brackets MAZDA CX5 Premium PART # BR-CX5




Attention:

- Please read this installation menu before installing this part. Protect your car properly in case there is any scratch might have.
- You may need to periodically to re-tighten all hardware for safety use after installation.
- Installation pictures are only for your reference, there might be some differences between pictures and real parts but no affect for your fitting.

PART LIST


| NO. | NAME | QTY | REMARK | NO. | NAME | QTY | REMARK |
|-----|----------------|-----|------------|------|---------------|-----|-----------|
| (1) | Running Board | 2 | | (9) | Spring Washer | 6 | Ф10 |
| (2) | Front Bracket | 2 | | (10) | Hexagon Nut | 6 | M10-8.0 |
| (3) | Middle Bracket | 2 | | (11) | Large Washer | 2 | Φ8*25*2.0 |
| (4) | Rear Bracket | 2 | | (12) | Spring Washer | 2 | Φ8 |
| (5) | T Bolt 1 | 2 | | (13) | Hexagon Nut | 2 | M8-8.0 |
| (6) | T Bolt 2 | 4 | | (14) | Hexagon Bolt | 2 | M6*25 |
| (7) | T Bolt 3 | 2 | | (15) | Large Washer | 4 | Φ6*18*1.5 |
| (8) | Large Washer | 6 | Ф10*20*2.0 | (16) | Spring Washer | 4 | Φ6 |

INSTALLATION PICTURE



INSTALLATION PROCEDURES

- Step 1: Refer to Part List to check if all hard ware are included.
- Step 2: Refer to the installation picture to distinguish the left and right brackets. Then refer to the following picture to remove the mud flaps.
- Step 3: Refer to the following picture to install the front bracket with T Bolt 2, then insert T Bolt 1 refer to Pic 2. Fix the bracket with (8), (9) and (10).



Step 4: Refer to Pic 3 to install Middle Bracket. Fix with (15) (16) (13) (14).





Step 5: Refer to the following picture to install Rear Bracket. Fix with (7) (11) (12) (13) (6) (8) (9) (10).





Step 6: Adjust the running board to the proper position and then check if all hard ware are installed.

Step 7: Fasten all hard ware to complete the installation.



Disclaimer: Caused due to improper installation initiates or some related problem and losses, are beyond our company's quality assurance.