

INSTALLATION INSTRUCTIONS BLACK CLASSIC ROLL BAR FOR 99-20 FORD F250/F350/F450 FLAT

BASE WITH LED BRAKE LIGHT
PART #RB015BK

Before Installation

- Please read the instruction completely for easy installation, which will also help you to avoid scratches or other potential damages to your appealing car.
- The figures here are for reference only and may have differences with the actual product you
 received, however they share the same assembly way.

Care and Cleaning

- Mild soap may be used also to clean the Product.
- Please periodically check and retighten all the hardware and clean the investment for a refresh look.

Parts list


NO.	QTY	NAME	NO.	QTY	NAME
1	1	Pipe 1	2	1	Pipe 2
3	1	Connecting plate (FOR LED LIGHT INSTALLATION)	4	2	Block
(5)	1	Decoration plate-L	6	1	Decoration plate-R
7	2	Red decoration plate	8	2	Decoration plate backboard

BLACK CLASSIC ROLL BAR FOR 99-20 FORD F250/F350/F450 FLAT BASE WITH LED BRAKE LIGHT								
9	4	Gum cover	10	1	Support bracket (L)			
11)	1	Support bracket (R)	12	8	M8 Block			
Standard parts:								
13	4	Countersunk head allen bolts M12_40	14	8	Hex bolt M8_40			
15)	2	Button head allen bolts M8_40	16)	10	Lock washer D8			
17	12	Flat washer D8(8x24x2mm)	18	2	Hex nut M8			
19	8	Assembly bolt M6_20	20	8	Flat washer D6(6x18x1.6mm)			
21)	8	Hex nut M6	22	1	Allen wrench S=2.5			
23	1	Allen wrench S=4	24	1	Allen wrench S=5			
25	1	Allen wrench S=8						


Installation Steps

Step1: Assemble (1) and (2) with standard parts. Lock all the standard parts after adjust the position.


Use standard parts 15 16 17 18 to connect 1234.




Step2: Assemble decoration plates and brackets with pipes. Lock all the standard parts after adjust the position.



Step3: Fix the roll bar on the trunk with parts 12/14/16/17 (need to drill the trunk if there's no installation holes). Test and make sure that the roll bar is steadily fixed, and then tighten all the hardware.



Step 4: Installation is finished, pick up all tools.



NOTE

Any damages and losses caused by improper installation and application, goes beyond our quality warranty.