

# INSTALLATION INSTRUCTIONS TONNEAU RAISED BASE FOR STAINLESS STEEL CLASSIC ROLL BAR FOR JEEP GLADIATOR 2020

PART # RB09SS

# **Before Installation**

- Please read the instruction completely for easy installation, which will also help you to avoid scratches or other potential damages to your appealing car.
- The figures here are for reference only and may have differences with the actual product you
  received, however they share the same assembly way.


# Care and Cleaning

- Mild soap may be used also to clean the Product.
- Please periodically check and retighten all the hardware and clean the investment for a refresh look.

### Parts list


NO.	QTY	NAME	NO.	QTY	NAME
1	1	Pipe 1	2	1	Pipe 2
3	1	Connecting plate (FOR LED LIGHT INSTALLATION)	4	2	Block
(5)	1	Decoration plate-L	6	1	Decoration plate-R
7	2	Red decoration plate	8	2	Decoration plate backboard

TONNEAU RAISED BASE FOR STAINLESS STEEL CLASSIC ROLL BAR FOR JEEP GLADIATOR 2020									
9	4	Gum cover	10	1	Allen wrench S=5				
1	1	Left support bracket	12	1	Right support bracket				
13	4	T bolt 3(M10x35 button head allen bolts)(50x15-25-5)	<b>1</b> 4	4	Button head allen bolts M12_40				
(15)	2	Spring washer D8	16	2	Button head allen bolts M8_40				
17)	2	Hex nut M8	18)	4	Flat washer D8				
19	16	Flat washer D6	20	8	Spring washer D6				
2	8	Button head allen bolts M6_20	2	8	Hex nut M6				
23	1	Allen wrench S=4	24	1	Allen wrench S=2.5				
25	1	Allen wrench S=8	26	6	Flat washer D10				



# **Installation Steps**

**Step1:** Assemble (1) and (2) with standard parts. Lock all the standard parts after adjust the position.



Page 4 of 5

TONNEAU RAISED BASE FOR STAINLESS STEEL CLASSIC ROLL BAR FOR JEEP GLADIATOR 2020

Step2: Assemble decoration plates and brackets with pipes. Lock all the standard parts after adjust the position.


Use accessories (9) (2)

Use accessories (14)

**Step3:** Place the roll bar on the truck in an appropriate location. And mark the hole with pen. 2 places in each part, total are 4 places. Remove the product.

### FOR 2020 JEEP GLADIATOR:

Put the left and right support bracket on both side of the truck, and use 13 26 27 28 29 to fasten on the original car slot.



## **NOTE**

Any damages and losses caused by improper installation and application, goes beyond our quality warranty.