

TEL: 1-866-XANATOS

INSTALLATION INSTRUCTIONS

TRAVELER OVERLAND UTILITY BED RACK

FOR 20+ JEEP GLADIATOR

PART # TR09B

PROTECTED BY ONE OR MORE PATENT

Before Installation

- Please read the instruction completely for easy installation, which will also help you to avoid scratches or other potential damages to your appealing car.
- The information shown here is for reference only and may differ from the product that you
 receive, however the goods are fitted in the same way.

Care and Cleaning

- Mild soap may be used also to clean the Product.
- Please periodically check and retighten all the hardware and clean the investment for a refresh look.


Parts list

NO.	QTY	PICTURE	NO.	QTY	PICTURE
1)	2	Side beam	2	2	Longitudinal beam
3	3	Intermediate beam	4	2	Cross beam
(5)	4	Support base 1	6	2	Support base 2 (R)

Page 2 of 6


TRAVELER OVERLAND UTILITY BED RACK FOR 20+ JEEP GLADIATO							
7	2	Support base 2 (L)	8	1	Bracket (L)		
		Copport Base 2 (E)			Bracket (E)		
9	1		10	2	00		
		Bracket (R)			Single-sided adhesive tape 3 (L)		
11)	2		12	4			
		Single-sided adhesive tape 3 (R)			Single-sided adhesive tape 2		
13	4		14)	8			
		Single-sided adhesive tape 1			T bolt M10*30		
15	8		16	8			
		Flat washer D10 (10x30x2.5mm)			Lock washer D10		
17	8		18	2			
		Hex nut M10			Lock washer D8		
19	2		20	2			
		Hex bolt M8_25			Flat washer D8 (8x24x2mm)		
21)	60		22	1			
		8mm Assembly Bolt			Allen wrench S=5		

Installation Figure




Step 1: Verify that all parts are present according to the manual.


Step 2: Using hardware 21 connect Intermediate beam 3 and Longitudinal beam 2.



Step 3: Using hardware 21 connect Cross beam 4 and Longitudinal beam 2.




Step4: Using hardware 21 connect Side beam 1, Longitudinal beam 1 and Support base




Page 5 of 6

Step 5: Using Single-sided adhesive tape 12 13 and T-Bolt 14 install the Support base 26


7) on the vehicle and tighten all the hardware.



Step 6: To lock the rack steady, connect bracket with side rail with hardware 18 19 20



Step 7: Complete installation, pick up all tools.



NOTE

Any damages and losses caused by improper installation and application, goes beyond our quality warranty.