



TEL: 1-866-XANATOS

INSTALLATION INSTRUCTIONS

**Roof Rack
WHP02**

INSTRUCTION MANUAL

MODEL NO.:KW0933

PRODUCT DESCRIPTION: Roof Rack (1600*1425)

1、Notes:

- ①All pictures in the instruction manual are for reference only. The pictures may be different from the real products, but the installation method is the same.
- ②For security, please check regularly whether all accessories connected well with the car before driving.

2、Parts List :


| SN. | NAME | QTY. | SPEC. | SN. | NAME | QTY. | SPEC. |
|-----|-------------------------|------|-------|-----|--------------------------------------|------|-------|
| 1 | MAIN ALUMINIUM BAR | 2 | | 8 | HEXAGON SOCKET BUTTON HEAD SCREWS | 20 | M6*15 |
| 2 | SIDE ALUMINIUM BAR | 2 | | 9 | HEXAGON SOCKET BUTTON HEAD SCREWS | 24 | M6*25 |
| 3 | MIDDLE CONNECTION PLATE | 5 | | 10 | HEXAGON SOCKET BUTTON HEAD SCREWS | 24 | M5*10 |
| 4 | MIDDLE FIXED PLATE | 3 | | 11 | HEXAGON NUT | 44 | D6 |
| 5 | PLASTIC FIXED PART | 18 | | 12 | BIG FLAT WASHER | 44 | D6 |
| 6 | CONNECTOR | 4 | | 13 | SOCKET HEAD WRENCH | 1 | S=3 |
| 7 | CONNECTOR COVER | 4 | | 14 | SOCKET HEAD WRENCH | 1 | S=4 |




3、Installation Procedure:

Step 1: Check whether the accessories are complete by referring to the accessory list and installation drawing.

Step 2: As shown in the drawing, tighten the bar with bolts.

Step 3: Check whether the bolts are miss and all bolts are tightened.





4、 Disclaimer: The related problems and losses caused by improper installation and use are not covered by our warranty.